

WhatsNext



The Next Level

New – Eppendorf Conical Tubes 25 mL

Promotion



Save 25% on 25 mL

Page 2

New Product



NGS compact

Page 6

Worth Knowing



PCR Solutions


Page 7

Size Matters. The New 25 mL Tubes by Eppendorf. Who Else!

Bridge the gap between 15 and 50 mL tubes with the new Conical Tube 25 mL

Your benefits

- > Single-handed operation with unique, reliable Snap-Tec™ cap
- > Tight seal up to 100°C
- > Minimized contamination risk due to wider opening
- > Improved sample recovery through lower height
- > Less storage space required; less waste generated
- > A comprehensive system solution with all necessary accessories



A Complete System

Centrifugation

Centrifuges with rotors for 50 mL conical tubes:
Compatible with two adapter variants for 25 mL tubes
SnapTec cap and screw cap

Heating and Mixing

Eppendorf ThermoMixer® C and Eppendorf ThermoStat™ C:
Adapter for 25 mL tubes ensures compatibility with Eppendorf SmartBlock™ 50 mL

MixMate®:

Tube Holder 25/50 mL, for 4 × 25/50 mL conical tubes

Sample storage

Single Tube Stand:

Ideally suited for weighing samples on the balance and for handling individual samples

Tube Rack 25 mL:

Eppendorf Racks for 50 mL conical tubes can be used with the new 25 mL tubes

Storage box made from polypropylene:

Lower height allows space-saving storage of up to 9 × 25 mL tubes in 3.5-inch Eppendorf Storage Boxes



YourTube Promotion

Save 25% on 25 mL starter packs for a limited time!

- > Option 1: Eppendorf Conical Tube 25 mL Screw cap + Adapter for 25 mL Rotor + 4 single tube stands
- > Option 2: Eppendorf Conical Tube 25ml SnapTec cap + Adapter for 25 mL Rotor + 4 single tube stands

Click and buy: www.eppendorf.com/whatsnext-tubes25ml

Eppendorf Microcentrifuges – Reliable, Flexible, Quiet



Refrigerated Microcentrifuge 5430 R

Our refrigerated microcentrifuge is best in class when it comes to energy efficiency and noise reduction, thus helping save money and protecting the environment.

Your benefits:

- > Silent operation: < 54 dB (A) for Centrifuge 5430 R, thanks to the OptiBowl system
- > Flexible: accommodates a variety of different rotors

Centrifuge Competition

Do you have the oldest Eppendorf Centrifuge?

We're looking for the oldest working Eppendorf Centrifuge in Europe. The winner will receive the new whisper quiet Centrifuge 5425 plus a tour of our centrifuge manufacturing plant – Research & Development at Eppendorf Zentrifugen GmbH Leipzig, Germany, with all expenses covered.

Additionally, second and third place winners will also receive a factory visit invitation, with all expenses covered. Every entry will receive a maintenance poster and centrifugation guide.

Take part and win:

www.eppendorf.com/whatsnext-oldest-centrifuge



How to Enter

1. Visit www.eppendorf.com/whatsnext-oldest-centrifuge
2. Upload a picture of your Eppendorf centrifuge
3. Enter the model no. and serial no.
4. Provide your contact details

Continue to follow our Facebook page for updates. Good luck! Please read the terms of participation before entering. Competition ends 31st December 2019.



Receive 15% off + a Free Rotor

When you buy a Centrifuge 5430 R with standard rotor, you can benefit from 15% off plus a free A-2-MTP rotor (PCR, MTP and DWP plates)

Click and buy: www.eppendorf.com/whatsnext-centrifuge



New Green Freezer: CryoCube® F101h

CryoCube® F101h

The CryoCube F101h is the high-efficiency successor to our trusted U101 freezer and it is the newest member of the -80°C Eppendorf Freezer Family.

At Eppendorf, environmental awareness and sustainability are a must – not just an option. The CryoCube F101h uses green cooling liquids with low environmental impact.



Did you know that Eppendorf is Earth-conscious? Check out how Eppendorf reduces environmental impact at: www.eppendorf.com/sustainability



Your benefits

- > Space for up to 6,000 vessels
- > Low energy consumption of 6.3 kWh/day
- > Short pull-down times and quick door opening recovery
- > Green cooling (R170/R290) and insulation ensure sustainability
- > Fits under the bench for space-saving setup
- > Removable inner doors for increased sample security
- > Quick access vent for shorter opening times



Your Cool Discount!

1. Buy CryoCube F740hi and receive 1,400 € for accessories*
2. Buy CryoCube FC660h and receive 1,200 € for accessories*

Contact our sales team for your Cool quotation:
www.eppendorf.com/whatsnext-freezer

* Accessories include: chart recorder, back-up systems, racks and boxes



ULT Freezer Performance Plans
The safety of your samples is dependent on the consistent performance of your freezers. How often do you think about it?


More information on our plans or contact us for a quotation:
www.eppendorf.com/freezer-service

What's in This Box?

eLABInventory: Get organized, Go digital!

Keep track of your samples with our intuitive and GLP-compliant software solution – eLABInventory

- > Visual inventory browsing
- > Barcode labelling and scanning
- > Fully customizable data records
- > Complete sample audit trail
- > SSL Class III-certified encryption for safe data transfer
- > 21 CFR part 11 compliance for documentation security
- > eLABInventory App compatible with any mobile device
- > Fully integrated with SafeCoded Eppendorf vessels for improved sample identification




More info:

www.eppendorf.com/dls-elabjournal-software



Your Digital Lab-Book



Are you still working with handwritten lab notes?


Improve your efficiency and traceability when documenting your research, protocols and results.

The eLABJournal® Electronic Lab Notebook offers an intuitive and flexible way to document and track your lab work.

- > Easy and quick to navigate
- > Share and collaborate
- > Ready for audit & secure
- > 21 CFR part 11 and GLP compliant

More Info:

www.eppendorf.com/dls-elabjournal-software



NGS Compact

epMotion® 5073m NGS solution

Leave manual NGS library preparation in the past – the epMotion 5073m NGS solution contains everything you need for your automated NGS library preparation:

- > Increased reproducibility
- > Outstanding pipetting accuracy and precision provide reproducible results
- > More time for data analysis or other laboratory tasks while the epMotion takes over tedious pipetting steps

Automated pipetting – challenging application? Help is on the way!

Are you having trouble with a protocol or are you looking to optimize your automated method? We will be happy to advise and assist you.

Eppendorf offers various application support services for epMotion users with low to high throughput experiments. Our highly skilled and extensively trained in-field automation specialists are available for intensive application training and support after the installation of your epMotion and during the setup of your own methods or methods provided by Eppendorf.

Contact us: www.eppendorf.com/contact

New Features

- > Up to 24 samples for NGS library preparation with minimal user intervention
- > TipHolder 73 and Gripper Tower allow the use of 5 x 96 tips on just two ANSI/SLAS positions
- > Three dispensing tools eliminate interruptions during NGS library preparation
- > Reservoir Rack Module NGS offers storage of consumables, tips and reagents in one deck position
- > NAP and NGS on one platform

More information:

www.eppendorf.com/whatsnext-NGScompact



epMotion 96. Save 25%

96/384-well? Done!

The epMotion 96 overcomes the limits of manual multichannel pipetting. Save time and money while achieving improved reproducibility of your results through simultaneous pipetting of 96 wells. Take advantage and use our special offer for epMotion 96 for a limited time and save 25% off the list price.

Click and buy:

www.eppendorf.com/whatsnext-epmotion96



PCR Solutions to Suit Your Needs

Mastercycler® X50 and CycleManager X50 Software

Whether you require reliability and standardization across protocols for precision and accuracy, or would like to save time with higher PCR throughput – the Mastercycler® X50 is the optimal instrument for your lab. And with Eppendorf as your Expert Partner, you have access to PCR solutions that satisfy even highest demands. Combine up to 10 units for high-throughput applications and to accommodate multiple users, or link up to 50 units in a network operated by the CycleManager X50 Software.

Highlights

- > Fast ramp rate of up to 10°C/s ensures fast PCR runs
- > Wide selection of blocks, including a fast silver block and 96 and 384 well formats, for increased flexibility
- > Connect up to 10 units, or link up to 50 units to a network



Consumables can make a huge difference to the quality and reproducibility of your PCR results. Their properties and technical characteristics will have a direct impact on your experiment and the subsequent results. Ensure that you choose the right PCR consumables for your application!

More information: www.eppendorf.com/pcr



Mastercycler Performance Plans

We offer a choice of preventive maintenance services for consistent instrument performance and confidence in safety. This service offer includes IQ / OQ and verification in accordance with ISO 9001 / ISO 17025.

For more information on our plans or to contact us for a quotation:

www.eppendorf.com/mastercycler-service



PCR Promotions - Save 20%

Purchase any 5 x boxes of twin.tec PCR Plates 96 or 384-well and receive 20% off Mastercycler X50a.



Save 20% again!

Get 20% off Eppendorf twin.tec® PCR Plates 96 & 384-well when you register your new Eppendorf Mastercycler*.



Click and buy:

www.eppendorf.com/whatsnext-pcr

*Register your Eppendorf Mastercycler purchased from 1st September 2019 at myEppendorf to receive a single-use promotion code for redemption in the Eppendorf eShop until 31st January 2020.



The Value of Mixing

Eppendorf ThermoMixer® C and SmartBlock™

The Eppendorf ThermoMixer C offers reproducibility for temperature-controlled mixing protocols. The individually sensor-controlled Eppendorf SmartBlock provides temperature accuracy and block homogeneity for maximum reproducibility. 2^DMix-Control for controlled, circular mixing and anti-spill technology offer further sample assurance.



Eppendorf ThermoTop® and condens.protect® technology

The Eppendorf ThermoTop® with special condens.protect® technology safeguards the homogeneous reaction conditions inside your tube - the system reliably prevents the formation of condensate on the tube lid and tube wall.



Your benefits

- > Eppendorf 2^DMix-Control ensures homogeneity throughout your sample
- > Constant reaction conditions for optimal enzymatic performance within your sample
- > Wireless connection with automatic recognition and operation for user-friendly handling
- > SmartBlock QuickRelease for easy block exchange

Video: Eppendorf QuickRelease - Quick and simple exchange of SmartBlock



Video: Eppendorf 2^DMix-Control for excellent mixing and sample assurance



Eppendorf ThermoMixer Bundle - Save 25%

Purchase any second SmartBlock or accessory and receive 25% off Eppendorf ThermoMixer C with SmartBlock 1.5 mL bundle

Click and buy: www.eppendorf.com/whatsnext-thermomixer



Growth in Motion Meets High Capacity

Meet the Innova® S44i, the latest stackable, high-capacity, incubated shaker from Eppendorf, built on innovation and shaking expertise.

- > Increased loading capacity with reduced footprint
- > New 5-axis X-Drive with integrated balance master for vibration-free shaking at up to 400 rpm even in a triple-stack
- > Advanced interface touchscreen for precise control

Save space, shake more and experience the shaker of the future!

See more at: www.eppendorf.com/InnovaS44i



Incubated CO₂ Shaker - New Brunswick S41i

Working with eukaryotic cells? Shake with CO₂ Incubation.

- > S41i - A full CO₂ incubator with integrated shaker

See more: www.eppendorf.com/S41i



New CO₂ Incubator - CellXpert® C170i with O₂ control

Optimal growth for your sensitive or challenging cells.

- > CellXpert C170i now available with O₂ regulation
- > 5 years extended warranty on all CellXpert devices purchased in 2019

Experience: www.eppendorf.com/cellxpert



Innova S44i. Save with our Stacking Bundles

Stacking Bundle Capacity - Shake more in a double-stack
FREE with two S44i shakers: Stacking kit for 2x S44i + small base (10 cm)

Stacking Bundle Complete - Shake max in a triple-stack:
FREE with three S44i shakers: Stacking kit for 3x S44i + small base (10 cm)

Click and buy: www.eppendorf.com/whatsnext-shaker





Always Well Prepared

Do you always have the right tool at hand to work with your specific liquid?

- > For every volume and throughput?
- > For aqueous as well as problem liquids?
- > For infectious or aggressive material?
- > In a convenient working environment?

Liquid Handling Packages – small and large

We have designed two individual packages of liquid handling devices to optimally equip your laboratory. These tools allow you to accurately pipette any volume of any type of liquid between any type of vessel (tubes, plates, bottles, etc.).

The packages include:

- > 5 air cushion pipettes (small: 2.5 μ L – 1 mL; large: 20 μ L – 5 mL), including epT.I.P.S. for accurate pipetting of every volume of aqueous solutions
- > 1 dispenser with Combitips®. Always the right choice for working with liquids of different viscosities, volatilities or surface tensions, or any liquid with a density that differs from that of water. Dispense up to 100 times without a refill and save valuable time
- > 1 pipette carousel for 6 devices to keep all your new tools close at hand in a convenient way



Your Choice –
Save up to 28%

Liquid Handling package small

- > 5 single-channel variable Eppendorf Research® plus (2.5, 10, 20, 100 and 1000 μ L)
- > Multipette® M4
- > Pipette Carousel 2
- > Tips



Liquid Handling package large

- > 5 single-channel variable Eppendorf Research® plus (20, 100, 200, 1000 and 5000 μ L)
- > Multipette® M4
- > Pipette Carousel 2
- > Tips

Click and buy:
www.eppendorf.com/whatsnext-pipette-package



Speed up your Lab!

Have you met our brand new 16 and 24 channel pipettes for manual or electronic pipetting into 384-well plates?

Try them out for free!

Click here to request your demo:
www.eppendorf.com/ready-set-pipette



Your Success is Our Concern

Eppendorf has been an innovator and leading provider of liquid handling systems for almost 60 years.

Our comprehensive approach philosophy embraces products and services:

- > Quality pipette calibration, certification, maintenance and repair services are offered for all major brands of pipettes.
- > From basic calibration at an economical price to custom-designed calibration services.

Regular maintenance and calibration of your pipette ensure precision and accuracy for consistently high-quality results.



Take a peek into our calibration lab.
www.eppendorf.com/pipette-wellness



Supporting You

In addition to regular calibration, there's plenty you can do to prolong the life of your pipettes. In our Knowledge Base you will find videos on how to maintain your pipettes, Application Notes on how to handle problematic liquids and much more:

www.eppendorf.com/epservices

Fancy a Challenge?

Picture Contest – Eppi® on Tour



Eppi® would like to join you all over Europe!

Our Eppi is ready to travel and wants to meet you and Eppendorf customers all over Europe. Help him explore new places and ensure he has a good time on holiday.

How does it work? Download our “Travel Eppi” and show him a great place you would recommend visiting. Take a picture of yourself with Eppi in your favourite spot and send it to us. Five pictures will be selected to win a great prize. More info on how to participate at www.eppendorf.com/whatsnext-competition



The best 5
photos will be rewarded
with an individual
drawing (digital caricatures).

We would like to receive your feedback
www.eppendorf.com/whatsnext-feedback

Your local contact

Contact us:

www.eppendorf.com/contact

All prices are in Euro excl. VAT and valid until 31.12.2019. All special offers are valid until 31.12.2019 and cannot be combined with other discounts from Eppendorf. No cash redemption. Errors and mistakes reserved.

Eppendorf®, the Eppendorf Brand Design, CellXpert®, CryoCube®, Combitips®, condens.protect®, epMotion®, Eppendorf Research®, Eppendorf ThermoTop®, Eppendorf ThermoMixer®, Mastercycler®, MixMate®, Multipette®, Eppendorf Quality™, Eppendorf Quick Release™, Eppendorf SmartBlock™, Eppendorf ThermoStat™ and SnapTec™ are trademarks of Eppendorf AG, Germany. Innova® is a registered trademark of Eppendorf Inc. eLAB Journal® is a registered trademark of Bio-ITech B.V., NL. U. S. Design Patents are listed on www.eppendorf.com/ip. All rights reserved, including graphics and images. Copyright © 2019 by Eppendorf AG. Carbon neutrally printed in Germany.