## eppendorf



# Perfect Asymmetry

The Mastercycler<sup>®</sup> nexus X2 with two totally independent protocols

# The Mastercycler® nexus X2

The Mastercycler nexus X2 gives you the ability to run two totally independent protocols at the same time. Smaller assays fit nicely on the 32-well-block—larger assays can exceed 48 samples and run on the 64-well-block. The larger block is available with a gradient function.

As every member of the Mastercycler nexus family, the Mastercycler nexus X2 can be combined with all other family members in a network of up to 3 units. That allows you to install the best solution for your needs and benefit from the same intuitive software on all your PCR devices.

In combination with Eppendorf's PCR Tubes, PCR Strips or divisible plates, the Mastercycler nexus X2 will give you consistent and publishable results—every day!

### **Product features**

- > Large block for large assays—small block for small assays.
- > Universal block for strips, 0.2 mL and 0.5 mL PCR tubes
- > Intuitive graphic programming (optional mouse use)
- > Optional gradient for PCR optimization
- > E-mail notification
- > Combine up to 3 units for maximum throughput!





ıfe

### Benefits at your fingertips:

Two independent blocks of different sizes provide a lot of flexibility. Combine up to 3 units for higher throughput. Low noise, low power consumption, intuitive software.

Technical Specifications	
Block homogeneity:	
20 °C–72 °C	≤±0.3 °C
95 °C	$\leq \pm 0.4$ °C
Heating rate*	ca. 3 °C/s
Cooling rate*	ca. 2 °C/s
Max. power consumption	700 W
Block temperature accuracy	± 0.2 °C
Sound power levels	< 40 dB[A]
Temperature control range of the block	4–99 °C
Temperature control mode	Fast, Standard, Sa
Gradient range	12 °C
Gradient temperature range	30–99 °C
Lid temperature range	37–110 °C
Dimensions (W $\times$ D $\times$ H)	25 × 41.2 × 33 cm
Weight	11 kg (24.2 lbs)
* Heating and cooling rates measured at block	



## eppendorf

# **Ordering Information**

International Order no.	North America Order no.
6336 000.015	6336000023
6337 000.019	6337000027
6338 000.012	6338000020
6339 000.016	6339000024
0030 124.332	951010006
0030 124.537	0030124537
0030 124.359	951010022
0030 124.804	0030124804
0030 124.812	0030124812
0030 124.820	0030124820
0030 124.839	0030124839
0030 124.847	0030124847
0030 133.374	0030133374
0030 133.404	0030133404
0030 133.358	0030133358
0030 133.382	0030133382
	6336 000.015   6337 000.019   6338 000.012   6339 000.016   0030 124.332   0030 124.537   0030 124.537   0030 124.804   0030 124.812   0030 124.820   0030 124.839   0030 124.847   0030 133.374   0030 133.358

Your local distributor: www.eppendorf.com/contact Eppendorf AG · 22331 Hamburg · Germany eppendorf@eppendorf.com · www.eppendorf.com

#### www.eppendorf.com/mastercycler

Eppendorf<sup>®</sup>, the Eppendorf logo and Mastercycler<sup>®</sup> are registered trademarks of Eppendorf AG. All rights reserved, including graphics and images. Copyright © 2014 by Eppendorf AG. Order no.: A633 612 020/GB2/5T/0414/CCHH/STEF · Carbon neutrally printed in Germany.