# eppendorf



# Increase Your Input – Expand Your Output

New high-capacity fixed-angle Rotor FA-6x250 for up to  $6 \times 250$  mL bottles

Rotor FA-6x250 extends the application range of large benchtop Centrifuge 5910 R and Centrifuge 5920 R. This includes harvesting of bacteria, algae and yeast, as well as mammalian cells in vessels up to 250 mL. A further scope of application is plasmid DNA extractions and lysate clearance after cell lysis.

A broad range of 12 different adapters minimizes the need of rotor exchanges during the workflow, since numerous vessel types with various volumes can be used with just a switch of adapters. This improves handling and saves time.

## **Applications**

- > Pelleting of microorganisms
  - Bacteria
  - Yeast
  - Algae
- > Pelleting of mammalian cells
- > Purification of nucleic acids
- > Separation of protein precipitates
- > Clarification of supernatants
- > Separation of blood samples

# eppendorf



#### Features & Benefits

- > High throughput: up to 6 × 250 mL bottles
- > Broad range of applications: 12 optional adapters
- > High speed: 15,054  $\times$  q (10,100 rpm)
- > Simple and fast handling: Eppendorf QuickLock® lid
- > Safe operation: aerosol-tight lid\*
- > Stress-free work: low weight of only 5.3 kg
- > High chemical resistance: anodized aluminum
- > Low risk of contamination: rotor, lid and adapters autoclavable



# **Ordering Information**

| Rotor                   | Number of vessels per rotor         | Order no.    |
|-------------------------|-------------------------------------|--------------|
| Rotor FA-6x250 with lid | 6 × 250 mL flat bottom bottles*1 or | 5895 175 007 |
|                         | 6 × 175 mL conical bottles*2        |              |

<sup>\*1 250</sup> mL. flat bottom bottles from Nalgene® (3127-0250, 3122-0250, 3120-0250) and Corning® (431841, 431842). When used with wide lid 250 mL flat bottom bottle from Nalgene (3140-0250) max. capacity is reduced to 4 x 250 mL.
\*2 175 mL conical bottles from BD/Corning (352076). Please note that these conical bottles need to be used together with a conical form insert provided by the bottle manufacturer.

## **Ordering Information**

| Adapters  | Number of vessels per adapter/rotor | Order no.    |
|---|-------------------------------------|--------------|
| FACS® round tubes, 5 mL                           | 9/54                                | 5920 765 000 |
| Blood collection round tubes D13, 2.6 – 8.0 mL    | 8/48                                | 5920 763 008 |
| Blood collection round tubes D16, 5.5 – 12.0 mL   | 7/42                                | 5920 762 001 |
| Blood collection round tubes D17.5, 9 mL          | 7/42                                | 5920 764 004 |
| Eppendorf Tubes® 5.0 mL*3 and 15 mL conical tubes | 4/24                                | 5920 761 005 |
| 50 mL conical tubes                               | 1/6                                 | 5920 760 009 |
| 50 ml skirted tubes                               | 1/6                                 | 5920 766 007 |
| 10 mL Oak Ridge round centrifuge tubes            | 7/42                                | 5920 769 006 |
| 16 mL Oak Ridge round centrifuge tubes            | 7/42                                | 5920 770 004 |
| 30 mL Oak Ridge round centrifuge tubes            | 3/18                                | 5920 767 003 |
| 50 mL Oak Ridge round centrifuge tubes            | 1/6                                 | 5920 771 000 |
| 85 mL Oak Ridge round centrifuge tubes            | 1/6                                 | 5920 768 000 |

<sup>\*3</sup> Universal adapters for Eppendorf Tubes® 5.0 mL are required in addition (5820 732 008).

### Your local distributor: www.eppendorf.com/contact

Eppendorf AG  $\cdot$  Barkhausenweg 1  $\cdot$  22339 Hamburg  $\cdot$  Germany eppendorf@eppendorf.com  $\cdot$  www.eppendorf.com

# www.eppendorf.com/next-benchmark

<sup>\*</sup> Aerosol-tightness tested by Public Health England, Porton Down, UK. Maximum 80% of maximum filling volume.