

# WhatsNext

## **Beyond Generations**

Celebrating 60 years of Eppi






### Celebrating 60 years of Eppendorf Tubes®

The Eppendorf Tube, or "Eppi®", is one of the most well-known and widely used laboratory consumables in the world. Introduced 60 years ago, the Eppi® was the first single-use microcentrifuge tube to be brought to the market.

Since then, over a billion Eppi®'s have been sold worldwide and the term has become a synonym for microcentrifuge tubes themselves. With uncontested quality and performance, laboratories around the world benefit not just from Eppendorf Tubes® but also the range of compatible Eppendorf lab devices and consumables that lead global industry standards.





## **Eppendorf Tubes® BioBased – 2nd Generation Feedstock – 1st Class Consumables**

Meet your own sustainability targets with Eppendorf Tubes® BioBased

This new Tubes family is made from 90% "bio-circular" renewable based feedstock (recycled e.g. from food oil wastes and residues) plus 10% fossil -based feedstock (applying ISCC mass balance approach). By choosing these tubes, customers help to significantly reduce the amount of fossil resources required for their production.

#### Learn more about Eppendorf Tubes BioBased



## Protect Your Samples with The New 25 mL Conical Tubes

The 25 mL Conical Tube is now available with DNA LoBind®, Protein LoBind® and the light protecting see-through amber. You can minimize sample loss with the LoBind® variants while keeping your light sensitive compounds protected from light degradation with the amber variants.

Get the 25 mL Conical Tube now at 15% OFF. This offer includes all variants of the 25 mL Conical Tubes. Any purchase of 3 packs also entitled you to a limited edition 60 Years of Eppi® double wall cup.

Let us know if you are interested

## The Research® plus manual pipettes is designed for a sustainable and ergonomic pipetting experience

- Minimal tip attachment forces due to a springloaded tip cone (all pipettes up to 1 mL) that reduces stress on your arm
- > Spring-loaded tip cone of an 8/12-channel pipette ensures all tips are attached in the same manner across all channels leading to uniform and consistent pipetting volumes
- > Thumb-friendly with low operating and tip ejection forces
- > Autoclave the entire pipette or only the lower part
- > Premium material ensures a high UV and chemical resistance
- > epServices prolong the lifetime and accuracy of your pipettes

Description	Order no.
Research® plus 8-channel, variable, 0.5–10 $\mu$ L, medium gray	3125000010
Research® plus 12-channel, variable, 0.5–10 $\mu$ L, medium gray	3125000028
Research® plus 8-channel, variable, 10 - 100 $\mu$ L, yellow	3125000036
Research® plus 12-channel, variable, 10 - 100 μL, yellow	3125000044
Research® plus 8-channel, variable, 30 - 300 $\mu$ L, orange	3125000052
Research® plus 12-channel, variable, 30 - 300 μL, orange	3125000060
Research® plus 120-1200μL/8-ch, dark green	3125000214
Research® plus 120-1200μL/12-ch, dark green	3125000222



15% OFF Research® plus 8/12-channel pipettes. Please fill in the inquiry form





## Eppendorf Research® plus, 6-Pack with Pipette Carousel 2

A new Research® plus bundle with great value to get you started.

This bundle consists of :-

- > 1 unit of Research® plus 1-channel, variable 0.1-2.5 μL with epT.I.P.S® Box 2.0
- > 1 unit of Research® plus 1-channel, variable 0.5-10 μL with epT.I.P.S® Box 2.0
- > 1 unit of Research® plus 1-channel, variable 2-20 μL (yellow) with epT.I.P.S® Box 2.0
- > 1 unit of Research® plus 1-channel, variable 10-100 μLwith epT.I.P.S® Box 2.0
- > 1 unit of Research® plus 1-channel, variable 20-200 μL with epT.I.P.S® Box 2.0
- > 1 unit of Research® plus 1-channel, variable 100-1000 μL with epT.I.P.S® Box 2.0
- > Pipette carousel 2
- > 1 unit of Eppendorf Pipette Pen



Get a <u>quote</u> now to get the complete Eppendorf Research<sup>®</sup> plus set with pipette carousel for your pipetting tasks! Or scan here



Description Order no

**Eppendorf Research® plus**, 6-pack with Pipette Carousel 2, single-channel, variable, incl. 6x epT.I.P.S.® Box 2.0 and ballpoint pen

3123000942



## Control up to 30 Electronic Pipettes!

Yes, you can do that with our Pipette Manager now. The NEW Pipette Manager further improves and redefines how you use our range of Xplorer® electronic pipettes.

Finish your daily tasks faster



Fast but accurate and consistent



Everybody is up to speed



- > Standalone plug'n'play system for fuss-free operation
- > Enter/change pipetting settings quickly and finish long and complex protocols faster
- > Choose or create your own liquid types for improved accuracy in your pipetting volumes
- > Share pipette sets (up to 30 pipettes) and liquid type settings
- > Compatible with iPad and Android tablets

You just need to upgrade the Xplorer® pipettes with the Xplorer® Connect WIFI module to start working with the Pipette Manager.



Description

Order no.

Pipette Manager (touch control panel)

100400001

Eppendorf Xplorer® Connect (WLAN retrofit for Xplorer®/ Xplorer® plus) 4861000970

Get 1 Pipette Manager and 3 Xplorer® Connect for a special price now.

Request for a demo/quote for this promo or scan the QR code



Not working with electronic pipettes yet? See our range of Xplorer® pipettes to go electronic with your pipetting tasks <u>HERE</u> or scan the QR code



Sample Purification epServices





## Sustainable Centrifugation

Protect your samples and the planet!

If your lab is aiming to achieve sustainability goals, Eppendorf can help get you there.

Centrifuge 5910 Ri - with it's 4L capacity and compact footprint, unique universal adapter concept to handle a variety of applications, superior cooling technology to protect your samples and save on energy and NOW certified with ACT environmental impact factor label.

**NEW Centrifuge 5427 R** - with hydrocarbon cooling

- > Natural cooling agent R290 (propane)
- > Spin up to 48 x 1.5/ 2.0 mL tubes in a compact footprint
- > Choice of 9 rotors for versatility incl. speed up to 25,001 x g
- > Certified with ACT environmental impact factor label.

#### Your benefits (and the planet's):

- > Energy Savings achieved with superior cooling technology that also protects your sensitive samples
- Ergonomics Easy access, intuitive operation and flexible options to suit many applications
- > **Longevity** High quality parts and robust design enable years of trouble free usage in the lab.
- Cooling liquid used in 5427 R has a lower global warming potential compared to conventional refrigerants e.g. R134a

For more information on sustainable centrifugation, tools to help your lab become more sustainable and to see what Eppendorf is doing to achieve our own sustainability goals visit www.eppendorf.com/sustainable-centrifuge



Buy selected Centrifuge 5910 Ri bundles with promotional price now!
<u>Learn more</u> about this centrifuge

Please <u>register</u> your interest on the 5910 Ri promotion by scanning the QR code





#### Need more volume or speed?

- Find it at Eppendorf!

Check out our complete new range of centrifuges and service options including high speed and super speed floor standing as well as ultracentrifuges and micro-ultracentrifuges.

Visit: www.eppendorf.com/your-centrifuge-solution



## Eppendorf At Your Service

Are you a proud owner of a centrifuge from the Himac product line? Exclusive offers for centrifuge owners of the Himac product line

Since Eppendorf has acquired the Himac centrifuge line we are committed to provide premium service to you.





FREE Initial Checking
25% off for the first preventive maintenance service. All other services 25% off \*
Learn more

Get in touch with us to learn more about the supported centrifuge types and scheduling a checking FOC

#### Ordering information

Agreement	AdvancedCare	PremiumCare	1 Year Extended Warranty <sup>1</sup>	1 Year Extended Warranty plus <sup>2</sup>
High-Speed Centrifuge	0082 029 327	0082 029 321	0082 029 341	0082 029 347
Micro-Ultracentrifuge	0082 029 328	0082 029 319	0082 029 339	0082 029 345
Ultracentrifuge	0082 029 326	0082 029 320	0082 029 340	0082 029 346


1 Purchased once within the standard warranty period. Valid for one year following the standard warranty period. 2 Purchased within the standard and extended warranty period. Valid following the standard warranty period.

On-demand services	Installation Service	IQ/OQ GxP	OQ GxP	Preventive Maintenance
High-Speed Centrifuge	0082 029 211	0082 029 221	0082 029 227	0082 029 251
Micro-Ultracentrifuge	0082 029 210	0082 029 220	0082 029 226	0082 029 250
Ultracentrifuge	0082 029 210	0082 029 220	0082 029 226	0082 029 250

6

Sieze the On-going Promotion Seize the On-going Promotion







- > Save up to €8300 over 5 years
- > Reduce contamination risk
- > Gain up to 25% growing space



Find more about the different variants of CellXpert® C170i by clicking here.

Please expect longer delivery time, contact your Local Territory Manager for more details.

#### Mastercycler® nexus

- > Universal block and flexlid® for all types of PCR consumables
- SteadySlope® for optimal temperature control
- > Efficient Peltiers for low energy consumption



Contact your local Eppendorf Territory Manager for promotion details. Promotion is valid until 31st December 2023

#### New Brunswick S41i CO2 Incubator

- > Homogeneous shaking with triple eccentric drive
- > Stackable up to 2 units for higher capacity
- Efficient decontamination with HTD



Learn more about the S41i by clicking <a href="here">here</a>





#### Centrifuge 5425 R

- Ideal partner for molecular biology workflows.
- > Max. speed: 21,300 × g (15,060 rpm)
- Short pre-cooling time of only 8 minutes (~21 °C to 4 °C)
- > Aerosol-tight QuickLock® rotors take the strain off your wrist



Centrifuge 5430 R

- > Flexible solution for molecular biology and clinical labs.
- > Spin up to 48 x 1.5/2.0 mL, 6 x 15/50 mL, 2 x MTP
- > Max. speed: 30,130  $\times$  g (17,500 rpm)
- > Aerosol-tight QuickLock® rotors take the strain off your wrist



Centrifuge 5702

- > Ideal for clinical labs
- > SOFT function optimized for cell separation by gradient centrifugation
- > Rotors for blood collection tubes or 15/50 mL conical tubes
- > Aerosol-tight caps certified by HPA, Porton Down, UK



Centrifuge 5810 R

- > Max. speed: 20,913 x g (14,000 rpm)
- Maximum capacity of 4 x 750 mL (or 28 x 50 mL / 56 x 15 mL), 16 x MTP
- > Compact footprint saves valuable bench space
- > Low lid opening height for use under shelves



Centrifuge 5910 Ri

- > Flexible centrifugation solution
- > Spin up to 4 x 1,000 mL (or 68 x 15 mL /36 x 50 mL),  $20 \times \text{MTP}$
- > Universal adapters for 5/15/25/50 mL tubes and plates
- > Supports GLP/GxP requirement



**Learn more** about 5425 R

Learn more about 5430 R

**Learn more** about 5702

Learn more about 5810 R

Learn more about 5910 Ri

## Be Confident About Your Sample Safety

#### Get connected to VisioNize® Lab Suite

What is the cost of leaving your freezer door open? Monitor your freezers from anywhere receiving real-time notifications of any temperature fluctuations or power failures. VisioNize Lab Suite offers everything you need to effectively manage your lab and ensure the safety of your samples.





#### **Real-Time Monitoring**

Monitor your entire freezer fleet and track device status, parameters (e.g. temperature), and history from anywhere



#### **Task Management**

Plan and assign device-related maintenance tasks to ensure optimal device performance



#### **Device Connectivity**

Connect and monitor all your freezers including 3rd party with VisioNize sense monitoring kit\*



#### **Easy Data Access**

Export device and event data, as well as logged user interactions



#### **Alarm Management**

Track all alarm acknowledgements with time-stamped data logs



#### **Instant Notifications**

Receive alarm and event notifications and quickly address any issues



#### Response-Based°Alarm Escalation°

Define escalation schemes to individual or multiple recipient groups based on lab presence.



#### **Protecting your Samples**

Ensure the safety of your samples 24/7

· Note: Currently available in Thailand and Malaysia and soon in Singapore

Discover more on what VisioNize Lab Suite for free!

https://eppendorf.group/VNLS\_TH



Please <u>register</u> your interest for a VisioNize Lab Suite demo by scanning the QR code

### Be the First to Know!

Discover recently launched products and register your interest in new product information.

#### www.eppendorf.com/whatsnext



New twin.tec® Trace PCR plates have improved ergonomics and traceability that will increase your reproducibility in applications like NGS.

#### Available now



epT.I.P.S.® BioBased Sterile Reloads. Open up new doors to make your laboratory work significantly more sustainable without jeopardizing your experimental results. Discover more BioBased solutions for your lab on our website.

#### **Buy now**



Eppendorf Centrifuge 5427 R - with hydrocarbon cooling

- > Natural cooling agent R290 (propane)
- > Spin up to 48 x 1.5/ 2.0 mL tubes in a compact footprint
- > Choice of 9 rotors for versatility incl. speed up to 25,001 x g
- > Certified with ACT environmental impact factor label.

#### Read more



Works hard, so that you can work smart. The new epMotion® takes repetitive tasks off your hands, giving you more hours in the day to change the world. Available in two sizes and six configurations.

#### Request a demo

### Sustainable Solutions for Your Lab

With our climate strategy, we aim to cut carbon emissions in Eppendorf operations down to zero before 2028. That means striving for the shortest delivery distance, the most sparing consumption of resources, the solution that produces the least waste, and the sensible re-use and recycling of materials.

Ask your account manager about sustainable lab consumables and devices for your lab.

- > BioBased consumables made from renewable materials
- > Centrifuges with low global-warming potential
- > ULT Freezers with green cooling and low energy consumption

Sustainability partners

ecovadis







\*EcoVadis is the world's largest and most trusted provider of business sustainability ratings



## Sustainability at Eppendorf

Read more

www.eppendorf.com/AT-de/discover/sustainability/

#### Publisher

Eppendorf (Thailand) Co., Ltd. 5 Soi.Krungthepkreetha 4, Huamark, Bangkapi, Bangkok, 10240 Thailand Phone: +66 2 379 4212-5 www.eppendorf.com/th-en/

Your local contact

Contact us for more information: www.eppendorf.com/contact